



CONCRETE PYRAMID.

To create roadblocks on the state border, roadblocks on major transport arteries, access roads to urban agglomerations, important bridges and watercourses, access roads to objects of critical military and civil infrastructure. Manufactured from certified UHPFRC.

HEAVY / MEDIUM / LIGHT.

Elements can be connected by a ship's shekel and a marine anchor chain to eliminate manipulation.



NATO - STANAG 2280 : 2016 STANDARDS.

BY NATO - ATP-3.12.1.8 TEST PROCEDURES AND CLASSIFICATION OF THE EFFECTS OF WEAPONS ON STRUCTURES

STANAG 2280, Ed. 2.

	A Projectiles	B Direct Fire Warheads	C Indirect Fire Munitions	D High Explosive (TNT Eqvt)	E Moving Vehicles
Severity of Effect (level)	6. Automatic canon 30 mm APDS	Advanced ASM Anti Structure Munitions	240 mm Rocket	≤ 50 kg	Tracked Vehicle
	5. HMG 14.5 mm (0.57)	Tandem ASM	155 mm Mortar 122 mm Rocket	≤ 10 kg	Large Truck ≤ 32,000 kg
	4. HMG 12.7 mm (0.50)	Anti-personel Thermobaric conventionalcharge < 2.5 kg	120 mm Mortar 107 mm Rocket	≤ 2 kg	Truck ≤ 7,500 kg
	3. Assault / Sniper Rifle 7.62 mm AP	Anti-tank Shaped charge	82 mm Mortar	≤ 1 kg	Small Truck ≤ 2,500 kg
	2. Assault Rifle 5.56 - 7.62 mm Ball	40 mm Rifle grenade shaped charge	60 mm Mortar	≤ 0.5 kg	Passanger Car ≤ 1,500 kg
	1. Pistol	(reserved)	Hand grenade	≤ 0.1 kg	Motorcycle

TECHNICAL DATA.

Construction characteristics HEAVY / MEDIUM / LIGHT

Volume	00,47 / 00,27 / 00,06 m ³
Area	04,12 / 02,92 / 01,05 m ²
Total weight	01,18 / 00,68 / 00,15 t
Total weight	02,50 t/m ³

Capability

- o The production line can stop a passenger vehicle, a truck, a medium or heavy tank.
- o High resistance of the mobile element to vehicle intrusion when placed evenly in four or five rows.

